Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((tank or reservoir or container) with ((below or bottom) near2 "cooling pad")) and ("evaporative cooling" or "evaporative cooler")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 11:22
L2	4	((tank or reservoir or container) same ((below or bottom) with "cooling pad")) and ("evaporative cooling" or "evaporative cooler")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 11:22
S1	187	62/176.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/13 15:26
S2	187	62/176.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/01 16:00
S3	3	S2 and ("blower" and ("humidity sensor" with (outdoors or outside)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 14:54
S4	5	S2 and ("humidity sensor" with (outdoors or outside))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:01
S5	459	62/176.6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:01
S6	193	("humidity sensor") near3 (outside or outdoors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/02 15:47
S7	31	S6 and "62"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/01 16:01

		EAGI Scarc	,			
S8	46	S6 and ("62"/\$.ccls. or "236"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/01 16:01
S9	0	62/176.1.ccls. and 62/331.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 10:20
S10	1250	62/331.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 10:20
S11	187	62/176.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/02 10:20
S12	0	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 10:20
S13	700	236/44A.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/14 11:26
S14	774	236/44C.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 14:11
S15	1121	62/160.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 14:27
S16	187	62/176.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/02 14:11
S17	4	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/02 14:11

			•			
S18	118	("humidity sensor") near2 (outside or outdoors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/02 15:48
S19	31	S18 and ("62"/\$.ccls. or "236"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/02 15:47
S20	2097	("humidity") near2 (outside or outdoors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/02 15:49
S21	436	S20 and ("62"/\$.ccls. or "236"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/02 15:49
S22	1805	(outdoor or outside or external or ambient) near3 (humidity) near3 (sens\$3 or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/03 13:03
S23	166329	"62"/\$.ccls. or "236"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/03 13:04
S24	261	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/03 13:04
S25	105	blower near3 outlet near3 (humidifier or water)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/13 15:50
S26	0	blower with "axial flow fran"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/13 15:51
S27	240	blower with "axial flow fan"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/13 15:51

		LASI Searc	,			
S28	107	blower near2 "axial flow fan"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/13 15:58
S29	1	humidify\$3 with ("cooling pad" and moisture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/13 15:59
S30	4	humidify\$3 same ("cooling pad" and moisture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/13 15:59
S31	3185	(humidify\$4).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/14 10:46
S32	484	S31 and (hole or filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/14 10:48
S33	53	S31 and (evaporat\$5 near3 cool\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/14 10:49
S34	45	(236/44A.ccls.) and "filter"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/14 11:36
S35	1189	humidify\$4 and tank and spray\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/14 11:37
S36	247	S35 and (("62"/\$.ccls.) or ("236"/\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/14 12:25
S37	285	filter same blower same pad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/14 12:25

S38	37	S37 and (("62"/\$.ccls.) or ("236"/\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/14 12:26
S39	3	((236/44A.ccls.) or (236/44C.ccls.)) and (tank with (bottom or below) with (pad or evaporat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/16 11:20